

Figure 1





Figure 2

3/13

## Mashing extract at 40°C



Molecular sieving chromatographies at Sephadex G-75 column with 50 mM phosphate buffer, pH 7.8, 0,5 M NaCl




Figure 3

4/13

		Before trea	tment	After trea	tment		
Group	No. of	range	mean	range	mean	Decrease (%)	
	Patients						
			<b></b>				
		Plasma	Glucos	e (mMol/L)			
I	6	6.8-8.5	7.6	6.8-7.7	7.2	5.6	
II	8	8.1-10.2	9.0	7.0-9.0	7.3	23.3	
III	7	11.6-14.7	12.5	6.0-10.2	8.1	54.3	
			-	-			
		Glucosylate	d Hemo	globin-HbA	1c(%)		
I	7	8.0-10.0	9.1	7.6-9.0	8.0	13.8	
II	8	10.1-19.6	13.0	6.5-10.0	8.1	60.5	

Figure 4A

Patient														
	0 days 15 days		30 days 45 day		lays	ays 60 days		75 days		90 days				
	F	PP	F	PP	F	PP	F	PP	F	PP	F	PP	F	PP
1	10.9	11.5	8.6	9.9	9.8	9.9	7.5	13.4	9.1	9.5	8.9	10.2	8.8	12.7
2	7.2	9.9	5.8	6.8	6.3	8.3	5.4	6.0	5.9	7.8	5.7	6.2	5.4	5.8
3	11.0	18.0	10.6	13.3	9.2	11.9	10.9	13.5	10.3	12.6	9.1	11.1	10.0	10.7
4	5.7	8.2	5.9	9.3	6.5	7.5	6.4	6.6	5.8	6.4	5.6	5.9	5.4	6.2
5	5.9	7.3	3.9	5.1	5.3	6.1	5.3	7.9	5.6	5.9	5.6	5.9	5.0	5.5
6	7.5	10.7	5.3	9.8	6.4	6.8	5.0	10.0	5.1	9.0	4.7	6.1	4.2	6.2
7	6.5	8.8	6.6	8.8	6.5	7.8	6.8	6.9	6.6	8.5	6.3	6.5	5.6	6.3
8	10.8	17.0	10.9	19.4	12.2	18.1	10.0	15.6	11.8	18.1	13.0	22.4	10.0	16.5
9	14.4	16.6	11.8	16.7	14.4	18.6	11.0	15.2	12.6	18.2	10.5	16.4	10.0	14.3
10	9.9	13.2	8.1	11.2	8.2	12.0	7.9	10.2	7.5	9.8	7.3	9.5	7.0	8.2

Figure 4B

5/13

No. of patients	Before treatment			After treatment				
	range mean			ran	ıge	me	an	
	Trigh	yce:	rides	s (m]	Mol	/L)		
8	3.6-17.2 8.			4	1.1-10.3		4.2	
		T	G/HI	<b>)</b> L				
12	3.7-11	7-11.7 6.		4 3.0		0-9.4	5.2	
LDL/HDL								
8	0.8-4.	.3	2.	2	0.0	55-3.1	1.5	

Figure 5A

	Triglycerides		Cholesterol		LDL/Ch	olesterol	HDL/Cholesterol		
	Before	After	Before	After	Before After		Before	After	
1. 2. 3. 4. 5. 6.	3.2 1.3 2.6 2.4 2.1 1.1	1.3 1.3 1.9 2.2 3.4 1.3 2.7	8.5 7.1 8.4 5.9 6.0 6.5	6.8 7.7 8.9 5.1 4.5 6.5	5.7 5.3 5.7 3.5 3.2 3.7 4.3	3.0 5.7 5.4 3.2 3.1 3.8 4.1	0.7 1.2 1.4 1.1 1.1 1.1	1.2 1.4 1.7 1.3 1.3 1.2	
7. 8.	2.1	2.0	7.6	7.2	4.9	4.6	1.7	1.8	
9. 10.	5.8 1.2	5.2 1.2	6.8 5.2	6.5 5.4	5.1 3.8	5.2	0.9	1.0	
10.	1.2	1.2	3.2	3.4	3.8	3.5	0.9	1.2	

Figure 5B

WO 2004/021980




Figure 6

PCT/US2003/027012

7/13

Intermediate activities by hours in % compared to control

Sample	1st hour	2nd	3rd	4th	5th	6th
Retentate	5.7	30.7	41.2	51.5	64.7	65.8
Permeate	76.3	39.1	34.7	48.5	53.8	nd

Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12

12/13




Figure 13

13/13




Figure 14

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потпер.

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.